






Maximum reliability and durability, Ideal for use in rough environments.
IP68 Dust and water resistant, Sea-water and detergent resistant.
No moving part, maintenance free.
Made of one piece of solid metal, totally rugged.
Potted switching unit at rear seals against all contamination and prevents freezing.
Flexible anodize print or laser engrave layout.





KPF34







KPF43











KPF45





Terminal locations for Matrix

3x4



PIN

	1	2	3	4	5	6	7	8	9	*	0	#
1												
2												
3												
4												
5												
6												
7												

4x3



PIN

	1	2	3	4	5	6	7	8	9	*	0	#
1												
2												
3												
4												
5												
6												
7												

4x4



PIN

	1	2	3	A	4	5	6	B	7	8	9	C	*	0	#	D
1																
2																
3																
4																
5																
6																
7																
8																

4x5



PIN

	A	B	F1	F2	→	9	6	3	#	←	8	5	2	*	Print	7	4	1	0	OK
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				

5x4



PIN

	A	B	F1	F2	→	9	6	3	#	←	8	5	2	*	Print	7	4	1	0	OK
1																				
2																				
3																				
4																				
5																				
6																				
7																				
8																				
9																				

©Copyright Langir Electric All Right Reserved.

Disclaimer: The appearance of the products listed on this catalogue, color, parameters are for reference only, issued a kind of Langir Electric Company shall prevail.

Langir Electric Company reserves the right to modify or cancel the relevant parameters of this catalogue does not advance notice. If in doubt, please contact your sales representative.



YUEQING LANGIR ELECTRIC CO., LTD.

ADD: 4F, NO. 188 LIUQING NORTH RD, LIUSHI, YUEQING, ZHEJIANG, CHINA 325604

FAX: 86 (577) 62737671

TEL: 86 (577) 62737672 62737670

MAIL: langir@langir.com

[Http://www.langir.com](http://www.langir.com)